Product Datasheet

Professional Lighting Solutions



SETO LED SNAKE 25/300 - SAFE WAY

SETO LED SNAKE

Article No.: **1428003040**

4,79	IP65 (Connector: IP44)
KG	IP CODE

Description

The SETO LED SNAKE SAFE WAY series minimises the effort for temporary construction path lighting. Long corridors or staircases and lift shafts can be illuminated with the LED rope lights within a very short time.

For this purpose, the flexible and highly robust LED rope light is simply rolled out and attached to the ceiling of a corridor with clips or reversible adhesive tape, or suspended in the stairwell. Depending on the size of the area to be illuminated, several ropes can also be combined so that the required illumination is always achieved (total length not more than 50 metres, not more than 600 watts power consumption per connection cable).

Thanks to the high power of 12 watts per metre, distributed over 180 LEDs per metre, the LED rope lights of the SETO LED SNAKE SAFE WAY series achieve a previously unattained luminous intensity. This is homogeneously distributed in the area to be illuminated thanks to the slight diffusion of the rope material.

With the help of a special fluorescent additive in the sheath of the SETO LED SNAKE SAFE WAY, it glows even after the power is switched off. This means that it is still visible for some time even in the dark and provides orientation in an emergency.

Product Highlights

- Extremely bright
- Highly robust and flexible
- Fluorescent (glows in the dark)
- Suitable for outdoor applications
- Mounting accessories available

Technical Specifications

General Data

Attribute	Value	Unit
Brand	SETO	
Series	LED SNAKE	
Model	25/300 - SAFE WAY	
Temperature (min)	-20	°C
Temperature (max)	+45	°C
Dimensions	(D)310x100	mm

Technical Specifications (cont.)

General Data

Attribute	Value	Unit
Weight	4,79	kg
IP Class	IP65 (Connector: IP44)	
Length	25	m

Lighting Data

Attribute	Value	Unit
Luminant	LED	
Colour Temperature	5000	K
CRI	>80	

Electrical Data

Attribute	Value	Unit
Input Voltage	230	V
Mains Frequency	50/60	Hz
Type of Current	AC	
Power Consumption	300	W
Protection Class	II	
Max. Length	50	m

Accessories

Ersatzteile

Article No.	Image	Name
1428003020		SETO LED SNAKE connection cable 1,5m + connector (square)
1428003023		SETO LED SNAKE, end caps
1428003024		SETO LED SNAKE, Rope Connector
1428003028		SETO LED SNAKE connection cable standard

Kabel, Stecker und Adapter

Article No.	Image	Name
1428003022		SETO LED SNAKE, T-connector 'square'
1428003031		SETO LED SNAKE, T-connector 'round'

Montage und Befestigung

Article No.	Image	Name
1428003021		SETO LED SNAKE clips (Screw-on)

Accessories (cont.)

Montage und Befestigung

Article No.	Image	Name
1428003053		SETO LED SNAKE, Magnet holder

Notstrommodule

Article No.	Image	Name
1428003029		SETO LED SNAKE, emergency power supply

Zubehöre

Article No.	Image	Name
1428003032		SETO LED SNAKE, Dimming Unit

Additional Product Images







Subject to technical changes, price adjustments and errors.

Setolite Lichttechnik GmbH
Bockhackerstr. 13
42499 Hückeswagen
Germany

Tel./Fax
+49 2192 / 93624-0
+49 2192 / 93624-25

Web/Email
www.setolite.com
info@setolite.de