



SETO POWER LED

SETO POWER

Article No.: 73__100002

12,67

KG

IP54

IP CODE

1.000-4000

REAL-LUMEN

Description

These high-performance light represents the state of the mobile LED technology. It is robust, virtually to handle maintenance-free and easy.

The head of the lamp consists of 30 high-efficiency LEDs that provide the user with a radiantly bright light and are ideally suited for the illumination of workplaces. The fully focusable three-stage optics make access this light it a versatile and reliable companion.

The SETO POWER LED is characterized by an impact-resistant polymer housing and the processed inside steel parts, which ensure the entire apparatus in this combination a high safety.

Thanks to the integrated 'Quicklock'-Verlängerungsstangen, the lamp head can be increased in a short time so that the SETO POWER LED is good for large area illumination. These interlocking rods enable a very simple yet stable system that is rapidly deployable and can be stored in the device itself.

In addition, the SETO POWER LED has a pair of folding legs, which make the light unit to an effective tripod system and provide additional stability is required without the need for additional equipment.

Product Highlights

- Luminant: 30 x High Power LED
- IP Class: IP54
- Operating Time (High Level): 8 h
- Operating Time (Low Level): 33 h
- [Charge Time]
- Incl. 4x quick-lock extension rod
- Different light modes (Blink, SOS, DIM, diffusion disc)

Technical Specifications

General Data

Attribute	Value	Unit
Brand	SETO	
Model	POWER LED	
Dimensions	390 x 195 x 255	mm

Technical Specifications (cont.)

General Data

Attribute	Value	Unit
IP Class	IP54	
Weight	12,67	kg

Lighting Data

Attribute	Value	Unit
Luminant	30 x High Power LED	
Luminous Flux (real)	1000-4000	lm
Colour Temperature	6500	K
Durability	50000	h

Electrical Data



Attribute	Value	Unit
Input Voltage	230 (AC) / 12 (DC)	V
Type of Current	AC/DC	
Power Consumption	43	W
Operating Time (High Level)	8	h
Operating Time (Low Level)	33	h
Operating Time (Blink Mode)	110	h
Charging Time	9	h
Charger	2,7 A	

Accessories

Other

Article No.	Image	Name
1410000668		Bag for SETO POWER LED
73__100003		Height adjustment Quicklock (1 piece)
73__100008		VEPAC-KFZ-Charger SRLP 90
73__100009		SRLP90 tripod Xtra
73__100010		Magnetic brackets for SETO POWER LED
73__100011		Quicklock - Xtra long
73__100013		Replacement battery for Seto-Power (Ritelite K9)

Additional Product Images



Intl. Quicklockstangen zur
Hilfsmittelverstellung

Einfaches Bedienen der Leuchte

Integrierte Diffuser-Blende

Optimale Stabilität dank
ausklappbarem Standfuß

Setolite Lichttechnik GmbH
Bockhackerstr. 13
42499 Hückeswagen
Germany

Tel./Fax
+49 2192 / 93624-0
+49 2192 / 93624-25

Web/Email
www.setolite.com
info@setolite.de

